

TARGET
PUMPS • MOTORS

تارجت
مضخات • محركات

INNOVATION
TRUST / QUALITY

الإبتكار
الثقة / الجودة

www.targetpumps.com
info@targetpumps.com

CE ISO
9001:2015



[facebook.com/Target Pumps India](https://www.facebook.com/TargetPumpsIndia)

twitter.com/targetpumps

[instagram.com/targetpumps](https://www.instagram.com/targetpumps)

[linkedin.com/Target Pumps Pvt Ltd](https://www.linkedin.com/TargetPumpsPvtLtd)

TARGET PUMPS PVT. LTD. (INDIA)

TARGET EXHAUST FAN & TARGET ACCESSORIES



TARGET EXHAUST FAN TEF6

Suitable for Kitchen, Toilet and Bathrooms
Powerful air exhaust
Easy installation and clean
Hole size : 186mm / 6"
Air volume : 260 CMH, Voltage : 220 - 240V
Frequency : 50-60Hz, Power : 15W



TARGET EXHAUST FAN TEF8

Suitable for Kitchen, Toilet and Bathrooms
Powerful air exhaust
Easy installation and clean
Hole size : 248mm / 8"
Air volume : 420 CMH, Voltage : 220 - 240V
Frequency : 50-60Hz, Power : 25W



TARGET FLOAT SWITCH TAFS-3

Single voltage input : 220V-240V
Frequency : 50/60Hz
Max power : 120V/1HP 240V/2HP
Protection rating : IP68
Max working temperature : 55°C



TARGET FLOAT SWITCH TAFS-1.1

Single voltage input; 220V-240V
Frequency : 50/60Hz
Max power : 120V/1HP 240V/2HP
Protection rating : IP68
Max working temperature : 55°C




TARGET VERTICAL AUTO. PRESSURE CONTROL TAPC-6.1

Single voltage input : 220V-240V
Frequency : 50/60Hz
Max using current / Max power : 10A/1.1 KW
Connection Thread : R1"
Starting pressure setting : 1.2 bar, 1.5 bar, 2.2 bar, 2.5 bar
Protection rating : IP65
Max working temperature : 60°C



TARGET HORIZONTAL AUTO. PRESSURE CONTROL TAPC-1

Single voltage input : 220V-240V
Frequency : 50/60Hz
Max using current / Max power : 10A/1.1 KW
Connection Thread : R1"
Starting pressure setting : 1.2 bar, 1.5 bar, 2.2 bar, 2.5 bar
Protection rating : IP65
Max working temperature : 60°C



TARGET SUBMERSIBLE MOTOR

Type:TS1.5/14(i) 1.25"		
1.5 HP	1.1 kw	PSC 1~
180-220V	50 Hz	2850 r/min
8.0 A	Cl B	IP 68
50µF/450V	COSø0.93	W.Copper
20 L/min	60 L/min	100 L/min
96 m	77 m	32 m



TARGET SUBMERSIBLE MOTOR

Type:TS2/28(i) 1.5"		
2 HP	1.5 kw	PSC 1~
180-220V	50 Hz	2850 r/min
10.5 A	Cl B	IP 68
60µF/450V	COSø0.93	W.Copper
10 L/min	30 L/min	50 L/min
195 m	168 m	110 m



TARGET SUBMERSIBLE MOTOR

Type:TS3/30(i) 2"		
3 HP	2.2 kw	PSC 1~
180-220V	50 Hz	2850 r/min
15.0 A	Cl F	IP 68
75µF/450V	COSø0.93	W.Copper
20 L/min	50 L/min	80 L/min
203 m	151 m	45 m

TARGET PUMPS PVT. LTD. (INDIA)

TARGET PERIPHERAL & CENTRIFUGAL PUMPS



TARGET PERIPHERAL PUMP TPP50

Suitable for Domestic water supply Lawn Sprinkler
Automobile washing Gardens water supply

Performance Range :
Output power : 0.37KW/0.5HP
Flow : 30LPM, Head : 44m
Speed : 2900rpm, Inlet/outlet : 1"/1"



TARGET CENTRIFUGAL PUMP TCM 25-160/1.0 B (S)

Suitable for Domestic water supply Lawn Sprinkler
Automobile washing Gardens water supply

Performance Range :
Output power : 0.75KW/1HP
Flow : 100LPM, Head : 35m
Speed : 2900rpm, Inlet/outlet : 1"/1"



TARGET CENTRIFUGAL PUMP TCM 50-125/1.5 (S)

Suitable for Domestic water supply Lawn Sprinkler
Automobile washing Gardens water supply

Performance Range :
Output power : 1.1KW/1.5HP
Flow : 445LPM, Head : 19.3m
Speed : 2900rpm, Inlet/outlet : 2"/2"



TARGET CENTRIFUGAL PUMP TCM 50-125/2.0 (S)

Suitable for Domestic water supply Lawn Sprinkler
Automobile washing Gardens water supply

Performance Range :
Output power : 1.5KW/2HP
Flow : 485LPM, Head : 23m
Speed : 2900rpm, Inlet/outlet : 2"/2"



TARGET CENTRIFUGAL PUMP TCMC 80-125/3.0 (S)

Suitable for Domestic water supply Lawn Sprinkler
Automobile washing Gardens water supply

Performance Range :
Output power : 2.2KW/3HP
Flow : 1083 LPM, Head : 16m, Speed : 2900rpm,
Phase - Single, Inlet/outlet : 3"/3"



TARGET CENTRIFUGAL PUMP TCMC 80-125/3.0

Suitable for Domestic water supply Lawn Sprinkler
Automobile washing Gardens water supply

Performance Range :
Output power : 2.2KW/3HP
Flow : 1083 LPM, Head : 16m, Speed : 2900rpm,
Phase - Three, Inlet/outlet : 3"/3"



TARGET DRYWALL SCREWS

BLACK PHOSPHATED PHILIPS, TWIN FAST FINE THREAD,
HIGH QUALITY SCREW, FASTENERS AND FIXING
Type: PHIL BUGLE HEAD, Desc: COARSE THREAD,
Colour: BLACK PHOSPHATED



TARGET DRYWALL SCREWS

BLACK PHOSPHATED PHILIPS, TWIN FAST FINE THREAD,
HIGH QUALITY SCREW, FASTENERS AND FIXING
Type: PHIL BUGLE HEAD, Desc: FINE THREAD,
Colour: BLACK PHOSPHATED

TARGET PUMPS PVT. LTD. (INDIA)



Tel.: +91 79228 11003
Tel.: +91 79228 11004
D-18, 3rd Floor, Galaxy Avenue
Nr. Galaxy Cinema, Naroda,
Ahmedabad (Guj.) - 382 330
INDIA
exports@targetpumps.com



Tel.: +971 - 688 28011
Fax: +971 - 688 28015
P.O. Box: 14765
Office No.: 107, Mohd. Nassir
Salam Alowaisi Building
Near Al Dhaid Mall, Sharjah
U.A.E
sales.uae@targetpumps.com



Tel.: +968 9578 8950
Tel.: +971 505399746
P.O. Box: 187, Postal Code: 320
Near Barakah Municipality
Sultanate of
Oman
salesoman@targetpumps.com



[facebook.com/Target Pumps India](https://facebook.com/TargetPumpsIndia) twitter.com/targetpumps

instagram.com/targetpumps

[linkedin.com/Target Pumps Pvt Ltd](https://linkedin.com/TargetPumpsPvtLtd)